

Downdraft Tables

WT-CCM-1200 and WT-CCB-1200 are a complete welding working station that effectively captures and filters the welding fumes generated during welding operations. WT-CCM-1200 is designed for fumes extraction during MIG/MAG welding processes or inert gas welding with consumable electrodes. Unit is equipped with built-in filter cleaning system that requires connection to external compressed air supply. WT-CCM-1200 unit is suitable for continuous indoor operation under the following environmental conditions: ambient temperature from +10 to +45°C and relative humidity of 80% at 25°C



WT-CCM-1200

Features:

- Built-in silencer
- Steel working surface with integrated extraction aluminium grate
- Built-in filter cleaning system
- Openable side screens, large parts handling
- Equipped with turntable for small parts
- Compatible with different types of filter cartridges

Article N°	Model	Cartridge type
27843	WT-CCM-1200-T12	Tcart-12

Features:

- Built-in silencer
- Steel working surface with integrated extraction aluminum grate
- Built-in filter cleaning system
- Flexible design
- Delivered with extraction arm
- Built-in air compressor (option)



WT-CCB-1200

Article N°	Model	Cartridge type
Without air compressor		
27863	WT-CCB-1200-T12	Tcart-12
With built-in air compressor		
27873	WT-CCB-1200-K-T12	Tcart-12